

Request for

Manufactured Housing Book Value Report

Please Note: This Cost Guide Request Report is for use with the Fannie Mae 1004C or Freddie Mac 70B addendum form and based on information supplied by the customer.

THIS IS NOT AN APPRAISAL REPORT FORM.

Please double check that the information is complete on the form before submitting for processing. Once requested information is submitted, changes may not be made.

Complete this form and fax or mail it to NADAguides.com. You will receive the Manufactured Housing Book Value Report within two business days after we <u>receive</u> the completed form, Fax or Email return. For reports that are mailed, the report will be shipped by USPS and should be received within 10-days. The fee is \$50 for this service.

NADAguides.com Attn: Research Dept. P.O. Box 7800 Costa Mesa, CA 92628 Fax (714) 556-6328

Method of Delivery		
\$50 Fee - ☐ Fax	□ Email	■ Mail
\$60 Fee - ☐ Same received by 2 P		

BILLING INSTRUCTIONS (All Fields	Required on All Transactions)	
Card Type: ☐ Visa ☐ MasterCard ☐	American Express	
Card Number:	Security Code:	
Expiration date:	(mm/dd/yyyy)	
Name as on card:		
Customer Signature:		
SHIPPING/FAXING INSTRUCTIONS (I	Billing Address Required on All Tra	nsactions)
Ship attention to (required):		
Billing address (required):		
City (required):	State: Zip:	
Telephone (required): ()		
Fax: <u>()</u>		
Email address:	@	

DISCLAIMER

This Cost Guide Request is for a retail book value based on information supplied by the customer. Once information is submitted, changes may not be made. Please double check that the information is complete on this form before submitting for processing.

The Cost Guide Report the appraiser will receive is NOT an appraisal report form. This format is intended to be used by certified/licensed appraisers in conjunction with the Fannie Mae 1004C or Freddie Mac 70B forms. The value of a manufactured home can be significantly impacted by local market factors

NADA Appraisal Guides is not liable for any damages incurred by the use of a book value. Please use this book value as it is intended, as a guideline only.



Request for *Manufactured Housing Cost Guide Report*Please Note: The Cost Guide Request Report is for use with the Fannie Mae 1004C or Freddie

Please Note: The Cost Guide Request Report is for use with the Fannie Mae 1004C or Freddie Mac 70B addendum form and based on information supplied by the customer.

THIS IS NOT AN APPRAISAL REPORT FORM.

Please double check that the information is complete on this form before submitting for processing. Once requested information is submitted, changes may not be made.

GENERAL INF	ORMATION		
Manufacturer Na	me:		
Trade/Model Nar	me:		
State Home is Lo	ocated in:		
Date of Manufact	turer (Year):		
Width:	x Length:	(Do not include to	ow bar/hitch)
Width:	x Length:	🗖 Tag-A-Long	☐ Expando
Please check you below.	ur opinion of the qual	ity of construction for th	he subject home based on the brief description liste
codes. This ho stone paneling living areas. E and constructi category will a	ome contains many spe g, ¼" top grade plywood xterior finishes emulate on materials available.	cial features. Interiors des d, conventional home type that of conventional hous Roof details, such as man designed COMMERCIAL	ndards and requirements of the minimum HUD construction is igned for the individual home include simulated brick or elections, and picture or bay windows in many or all of the ising. This home contains the best designs, workmanship, insard or single hip, are often standard features. This a BUILDINGS and MODULAR CONSTRUCTION or HUD
Commercial B and/or a comb carpeting, con fixtures. The w This home is c	uildings. The exterior w ination of the three. Th ventional home type er alls are 4" to 6" thick w	rill include an attractive arc e interiors are well finished atrance doors, bay or pictur rith 8' ceiling heights. Home priced manufactured home	I HUD building standards and will include Modular (SFR) rehitectural design utilizing aluminum, plywood or hardword, and will include many special features such as full ure windows, ¼" plywood paneling and above standard mes of this quality will generally have a removable tow barne in mass production, excluding the luxury category or
mobile home on prefininshed all and plumbing.	or federal Title 6 H.U.D. luminum with the faster Walls are typically 3" o	codes. This home contain ners concealed, some exte or 4" and some are 6 inches	exceed all minimum construction requirements, state ins few special features. The exterior siding is usually terior trim and detail may be found at the doors, hardware es in thickness. This category is generally the most uld include upgraded or multi-wide Mobile Office units.
components. T detail. Walls ar class will inclu	The quality of all interior re typically 2" to 4" thick de the cheapest constru	r and exterior finishes are p k with 7' to 7'6" ceiling heig	his home has no special features and few, if any, upgraded plain and inexpensive with little or no attention given to ight. Wide use of plastic for plumbing, trim and fixtures. The nactment of H.U.D. construction standards (June 15, 1976) units.
Overall Condit	ion		
Excellent – New or Good – Normal wea Fair – Minor deterior	like new, very attractive, or ar and tear, well maintaine ration apparent due to clin	ed, still attractive, desirable a mate and deferred maintena	and useful. nance, less attractive but useful. ponents, undesirable and marginally useful.



Request for Manufactured Housing Cost Guide Report

Please Note: The Cost Guide Request Report is for use with the Fannie Mae 1004C or Freddie Mac 70B addendum form and based on information supplied by the customer.

THIS IS NOT AN APPRAISAL REPORT FORM.

Please double check that the information is complete on this form before submitting for processing. Once requested information is submitted, changes may not be made.

A NOTE ON FOUNDATIONS (HUD/FHA, FNMA, FHLMC REQUIRED)

Appraisers should refer to HUD Handbook 4930.0 (aka the "Green Book") for manufactured housing approved foundation systems.

Installations meeting this criteria permits a HUD coded manufactured home to qualify for a 30-year real estate-type mortgage using one of the below listed HUD approved systems that are based on the site, climate conditions, soils, topography, etc.

The samples shown in the 4930.0 Handbook show some of the documentation required for a HUD approved foundation installation that are submitted to a local building and safety department agency for approval.

This should leave a paper trail for the appraiser to be able to ascertain that, in fact, the subject property's foundation meets the necessary HUD criteria.

We are told, a stand-alone letter submitted by a professional engineer (PE) or certified home inspector may not meet the criteria. Supporting documentation form the HUD 4930.0 Handbook may also be required.

We also caution that this foundation documentation (paper-trail) is required for new factory ordered homes (proposed construction), new existing homes (never lived in), and especially existing (previously lived in) homes.

FOUNDATION SYSTEMS (HUD APPROVED)

(See HUD Handbook 4930.3 for Type Acceptance) HUD Approved Types 'C', 'E', or 'I' (Requires homes, chassis/frame)

- C1 Reinforced masonry piers w/wire tie-downs & diagonal tie
- C2 Reinforced masonry or concrete piers
- C3 Isolated deep piers
- C4 Mat slab w/isolated piers
- **E1** Reinforced perimeter wall, non-reinforced piers at chassis
- E2 Treated wood perimeter wall on gravel, non-anchored metal piers
- E3 Reinforced masonry or concrete perimeter walls & piers
- **E4** Perimeter walls & piers w/transverse footings
- E5 Perimeter basement wall w/transverse steel girders
- **E6** Perimeter grade beam on deep piers w/transverse steel girders
- E7 Reinforced concrete perimeter wall w/transverse steel girders
- E8 treated wood perimeter wall on concrete footing w/non-anchored metal pier
- I No systems currently approved



Quantity Age*	Reference Number		
### BATH FIXTURES Fiberglass Shower Stall		Quantity	Age*
Fiberglass Shower Stall ea.	Components		
Fiberglass Tub - Combo	BATH FIXTURES		
Fiberglass Tub - Combo	Fiberglass Shower Stall	ea	Age:
Garden Tub w/Jets	Fiberglass Tub - Combo		
Garden Tub w/Jets	Garden Tub	ea.	Age:
Deluxe Buffet/Hutch	Garden Tub w/Jets		
Deluxe Buffet/Hutch	Tub Enclosure	ea	Age:
Drawers w/Roller Guides Overhead Cabinet-Utility Room ea. Age: Solid Hardwood Cabinets - Single-wide Solid Hardwood Cabinets - Double-wide Solid Hardwood Cabinets - Tag/Third Section Nome Age: Solid Hardwood Cabinets - Tag/Third Section Age: Solid Hardwood Cabinets - Tag/Third Section Nome Age: CARPETING COMPLETE Single-wide Multi-wide Nome Age: Multi-wide Third/Tag-A-Long Section Nome Age: COUNTER TOPS Kitchen Counters - Coved Kitchen Counters - Tile Ea. Age: Kitchen Counters - Granite Eavy Top Coved Eavy Top Coved Eavy Top Double Bowl Eavy Top Double Bowl Eavy Top Marble DOORS Deluxe House Type Exterior Door Sliding Glass Door (6' x 6') Storm Doors - Singe-wide Storm Doors - Multi-wide Storm Doors - Third/Tag-A-Long Section all Age: Storm Doors - Third/Tag-A-Long Section Age: Storm Doors - Third/Tag-A-Long Section Age: Storm Doors - Third/Tag-A-Long Section Age: Solid Age: Age: Age: Age: Age: Age: Age: Age:	BUILT-INS		
Drawers w/Roller Guides	Deluxe Buffet/Hutch	ea	Age:
Overhead Cabinet-Utility Room ea. Age:	CABINETS		
Overhead Cabinet-Utility Room ea. Age:	Drawers w/Roller Guides	all	Age:
Solid Hardwood Cabinets - Single-wide	Overhead Cabinet-Utility Room		
Solid Hardwood Cabinets - Double-wide home Age:	Solid Hardwood Cabinets - Single-wide		Age:
Single-wide	Solid Hardwood Cabinets - Double-wide		
Single-wide	Solid Hardwood Cabinets - Tag/Third Section	home	Age:
Multi-wide home Age: Third/Tag-A-Long Section home Age: COUNTER TOPS Kitchen Counters - Coved ea. Age: Kitchen Counters - Tile ea. Age: Kitchen Counters - Granite ea. Age: Lavy Top Coved ea. Age: Lavy Top Double Bowl ea. Age: Lavy Top Marble ea. Age: DOORS Deluxe House Type Exterior Door ea. Age: Sliding Glass Door (6' x 6') ea. Age: Storm Doors - Singe-wide all Age: Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	CARPETING COMPLETE		
Third/Tag-A-Long Section home Age: COUNTER TOPS Kitchen Counters - Coved ea. Age: Kitchen Counters - Tile ea. Age: Kitchen Counters - Granite ea. Age: Lavy Top Coved ea. Age: Lavy Top Double Bowl ea. Age: Lavy Top Marble ea. Age: DOORS Deluxe House Type Exterior Door ea. Age: Sliding Glass Door (6' x 6') ea. Age: Storm Doors - Singe-wide all Age: Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	Single-wide	home	Age:
COUNTER TOPS Kitchen Counters - Coved ea. Age:	Multi-wide	home	Age:
Kitchen Counters - Coved ea. Age:	Third/Tag-A-Long Section	home	Age:
Kitchen Counters - Tile ea. Age:	COUNTER TOPS		
Kitchen Counters - Granite ea. Age:	Kitchen Counters - Coved	ea	
Kitchen Counters - Granite ea. Age:	Kitchen Counters - Tile	ea	Age:
Lavy Top Double Bowl Lavy Top Marble ea. Age: Age: Age: DOORS Deluxe House Type Exterior Door Sliding Glass Door (6' x 6') Storm Doors - Singe-wide Storm Doors - Multi-wide Storm Doors - Third/Tag-A-Long Section ea. Age:	Kitchen Counters - Granite	ea	Age:
Lavy Top Marble ea. Age:	Lavy Top Coved	ea	Age:
DOORS Deluxe House Type Exterior Door ea. Age:	Lavy Top Double Bowl	ea	
Deluxe House Type Exterior Door ea. Age: Sliding Glass Door (6' x 6') ea. Age: Storm Doors - Singe-wide all Age: Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	Lavy Top Marble	ea	Age:
Sliding Glass Door (6' x 6') ea. Age: Storm Doors - Singe-wide all Age: Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	DOORS		
Storm Doors - Singe-wide all Age: Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	Deluxe House Type Exterior Door	ea	Age:
Storm Doors - Multi-wide all Age: Storm Doors - Third/Tag-A-Long Section all Age:	Sliding Glass Door (6' x 6')	ea	Age:
Storm Doors - Third/Tag-A-Long Section all Age:	Storm Doors - Singe-wide	all	Age:
	Storm Doors - Multi-wide	all	Age:
Wardrobe Doors (Mirrored) pair Age:		all	
	Wardrobe Doors (Mirrored)	pair	Age:

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		_
	Quantity	Age*
Components		
ELECTRICAL		
100 Amp Main	ea	Age:
200 Amp Main	ea	_
220v Dryer Wiring (incl. Vent)	ea	Age:
Electric Furnace - Only	ea	_
Electric Home - Total	ea	Age:
Electric Kitchen - Only	ea	_
Electric Range - Only	ea	A
Electric Water Heater - Only	ea	Age:
Intercom	ea	
Phone/TV Jack	ea	
Security/Fire Alarm	ea	
EXTERIOR		
2 x 6 Ext. Walls on 16" Centers Length + Length + Width + Width	lin. ft	Age:
Dormer	ea	Age:
Eaves	all	
Gutters/Downspouts	lin. ft.	Age:
Length + Length + Width + Width		
Removable Hitch/Tow Bar	ea	Age:
Shutters	pair	
FAN		
Bath Exhaust Ceiling Fan	ea	Age:
Bath Heater-Light/Fan Ceiling	ea.	
Ceiling Paddle Fan	ea.	
Kitchen Stove Exhaust Wall Fan	ea	
FLOOR COVERING		
1/2" Rebond Carpet Pad Length x Width	sq. ft	Age:
Tiled Entry Way	ea	Age:
	-	_



Reference Number		
	Quantity	Age*
Components		
<u> </u>		
FLOORING		
Hardwood Flooring	sq. ft	Age:
Length x Width		
Laminate Flooring	sq. ft	Age:
Length x Width		
Tile Flooring	sq. ft	Age:
Length x Width		
T & G Plywood Sub-Flooring	sq. ft	Age:
Length x Width		
HEATING		
Baseboard Heating	lin. ft	Age:
Length + Length + Width + Width		<u> </u>
Oil Gun Furnace	ea	Age:
Wall Heater	ea	Age:
Wood Burning Stove (Factory Installed)	ea	Age:
HOUSE TYPE ROOFING		
Single-wide	home	Age:
Multi-wide	home	Age:
Third/Tag-A-Long Section	home	Age:
HOUSE TYPE SIDING		, ige
		A
Single-wide	home	Age:
Multi-wide	home	Age:
Third/Tag-A-Long Section	home	Age:
INTERIOR		
1/4" Natural Wood Paneling	lin. ft	Age:
Length + Length + Width + Width		<u> </u>
Beamed Ceiling Rooms	ea.	Age:
Cathedral/Vaulted Ceiling Rooms	ea	Age:
Drywall/Gypsum Walls	lin. ft	Age:
Length + Length + Width + Width		

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		
	Quantity	Age*
Components		
(ITCHEN APPLIANCES		
14 CF Refrigerator	ea	Age:
15 CF Refrigerator	ea	Age:
17 CF Refrigerator	ea	Age:
18 CF Refrigerator	ea	Age:
20 CF Refrigerator	ea	Age:
22 CF Refrigerator	ea	Age:
Cook Top & Oven (Built In)	ea	Age:
Dishwasher	ea	Age:
Garbage Disposal	ea	Age:
Microwave Oven	ea	Age:
Range Over/Under (Eye Level)	ea	Age:
Trash Compactor	ea	Age:
MISCELLANEOUS		
Clothes Dryer	ea	Age:
Clothes Washer	ea	Age:
Fireplace (Permanent)	ea	Age:
Freezer	ea	Age:
Water Softener	ea	Age:
MIT VALUES (Subtract) Deduct from Base Value		
12 CF Single Door Refrigerator	ea	Age:
30" Freestanding Cooking Range	ea	Age:
Axle w/Hub (12 to 18 Widths)	ea	Age:
Brake Axle w/Hub (12 to 18 Widths)	ea.	Age:
Drapes/Curtains	all	Age:
Frame - Removal may not be legal	ea	Age:
Furnace - Only (69,000 BTU or Less)	ea.	Age:
Heating System (including Furnace)	ea	Age:
Plumbing System (including Water Heater)	ea	Age:
Rim w/Tire (8 to 10 Ply)	ea	Age:
Tow Bar	ea	Age:
Water Heater - Only (20 gal.)	ea	Age:

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		
	Quantity	Age*
Components		
OSB INNER-SEAL SIDING & SHEATHING (Flooring, Sidin	g, Roofing)	
Single-wide	ea	Age:
Multi-wide	ea	Age:
Third/Tag-A-Long Section	ea	Age:
OVERHEAD COOLER DUCTS		
17 x 17 Roof/Ceiling Vent - Only	ea	Age:
5 Way Electric Cooler Switch	ea.	Age:
Ceiling Duct (w/Roof Vent/5 Way Elect. Switch)	ea	Age:
PLUMBING		
3 Stage Sink - Porcelain	ea	Age:
Gas Tee for Dryer (incl. Vent)	ea	Age:
Hot Water Baseboard Heater	lin. ft	Age:
Length + Length + Width + Width		
Laundry Tub/Sink	ea	Age:
Plumb for Washer	ea	Age:
Pop-up Valve	ea	Age:
Sauna	ea	Age:
Single Lever Faucet	ea	Age:
Sink Kitchen Double Bowl	ea	Age:
Spa/Hot Tub	ea	Age:
Stainless Steel Sink	ea	Age:
Water Shut-Off Valve	ea	Age:
RETROFIT ROOF (only if verified) Not Coatings, All types	and mfg.	
Contractor Installed	sq. ft	Age:
Length x Width		



	•	
	Quantity	Age*
omponents		
ETROFITS SIDING (only if verified) Not Skirting, All	mfg., Contractor Installed	
Insulated Backing (All Types)	sq. ft	Age:
Length x Width		<u> </u>
Shiplap (8" Horizontal) Aluminum	sq. ft	Age:
Length x Width		_
Steel	sq. ft	Age:
Length x Width		_
Vinyl	sq. ft	Age:
Length x Width		_
OOF PITCH (Multi-wide Homes)		
4/12	lin. ft	Age:
Length + Length + Width + Width		
5/12	lin. ft.	Age:
Length + Length + Width + Width		
7/12	lin. ft.	Age:
Length + Length + Width + Width		
9/12	lin. ft.	Age:
Length + Length + Width + Width		_
PRINKLER SYSTEMS (Fire)		
Area of Coverage	sq. ft	Age:
Length x Width		<u> </u>
ATER HEATER Gas/Electric		
30 Gal.	ea	Age:
40 Gal.	ea	Age:
50 Gal.	ea	Age:
Tankless Water Heater	ea	
ET BARS		
Walk Behind	ea	Age:
Walk Up	ea	Age:



Reference Number		
	Quantity	Age*
Components		
WINDOWS		
Bay Window	ea	Age:
Bow Window	ea	Age:
Garden Window	ea	Age:
Skylight	ea	Age:
Dual Glazed Windows - Singe-wide	all	Age:
Dual Glazed Windows - Multi-wide	all	Age:
Dual Glazed Windows - Third/Tag-A-Long Section	all	Age:
Storm Windows (Std or Self-Storing) - Singe-wide	all	Age:
Storm Windows (Std or Self-Storing) - Multi-wide	all	Age:
Storm Window (Std or Self-Storing) - Third/Tag-A-Long Sect.	all	Age:



Additional Features Checklist

Reference Number		
	Quantity	Age*
Accessories		
AWNINGS (Aluminum w/Metal Roofing)		
Carport Length x Width	sq. ft	Age:
Free Standing Length x Width	sq. ft	Age:
House Type Roofing (additional) Length x Width	sq. ft	Age:
Patio Length x Width	sq. ft	Age:
Unitizing (Awning Trim) Length + Length + Width + Width	lin. ft	Age:
Window Length x Width	sq. ft	Age:
AWNINGS (Wood Type w/House-type Roof)		
Free Standing Length x Width	sq. ft	Age:
Attached to Home Length x Width	sq. ft	Age:
Unitizing (Awning Trim) Length + Length + Width + Width	lin. ft	Age:
CANOPIES (Fabric) Width x Projections		
30" x 30"	ea	Age:
36" x 30"	ea	Age:
42" x 30"	ea	Age:
48" x 30"	ea	Age:

Copyright © by National Apprisal Guides, Inc.

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		
	Quantity	Age*
Accessories		_
CENTRAL AIR CONDITIONING SYSTEM (By Ton, 12,000 B	BTU = 1 Ton) All Types	
1 Ton Electric	ea	Age:
1 1/2 Ton Electric	ea.	
2 Ton Electric	ea.	
2 1/2 Ton Electric	ea.	
3 Ton Electric	ea.	
3 1/2 Ton Electric	ea.	
4 Ton Electric	ea	
5 Ton Electric	ea.	
3 Ton Gas	ea	Age:
4 Ton Gas	ea	
2 1/2 Ton Heat Pump & Self Contained	ea.	
3 Ton Heat Pump & Self Contained	ea	
3 1/2 Ton Heat Pump & Self Contained	ea	
4 Ton Heat Pump & Self Contained	ea	
5 Ton Heat Pump & Self Contained	ea	
ENCLOSURE ROOMS - THREE SIDED (Attached to Home	, Requires Porch or Slab))
Doors (People)	ea	Age:
Honeycomb Insulated Wall (w/Windows & Doors) Length + Length + Width + Width	lin. ft.	Age:
Screen Only (w/Kickplate & Door) Length + Length + Width + Width	lin. ft	Age:
Suspended Ceiling Length x Width	sq. ft	_ Age:
PORCHES/DECKS (Measure Width x Length Including Ca	rpet & Rails)	
Elevated - Aluminum Length x Width	sq. ft	Age:
Wood w/Rails Length x Width	sq. ft	_ Age:



Reference Number		
	Quantity	Age*
Accessories		
SKIRTING TO 30" HIGH (Measure Around Perimeter)		
Brick Ornamental 24" to 36" High Length + Length + Width + Width	lin. ft	Age:
Concrete Block 24" to 36" High Length + Length + Width + Width	lin. ft	Age:
Masonite Length + Length + Width + Width	lin. ft.	Age:
Metal or Vinyl (Vertical) Length + Length + Width + Width	lin. ft	Age:
Shiplap (Horizontal) Length + Length + Width + Width	lin. ft.	Age:
Simulated Stone (Fiberglass) Length + Length + Width + Width	lin. ft	Age:
STEPS		
Aluminum w/Rail - Set	ea	Age:
Brick - 3 Steps	ea	Age:
Brick - 4 Steps	ea	Age:
Pre-cast Concrete - 3 Steps	ea	Age:
Pre-cast Concrete - 4 Steps	ea	Age:
Wood - 3 Steps	ea	Age:
Wood - 4 Steps	ea	Age:
Wood - Rail	ea	Age:
VATER COOLERS (Roof or Window Mount)		
Evaporative Coolers (All CFMS)	ea	Age:
VINDOW AIR UNITS - All Types		
8,000 BTU	ea	Age:
12,000 BTU	ea	Age:
18,000 BTU	ea	Age:



Reference Number		
	Quantity	Age*
Additive Values	·	-
ADD-A-ROOMS - Site Built to Local Code, with Wood	or metal Exterior Sides (Includ	les Foundation)
Doors - People	ea	Age:
Electrical (110 or 220 Volts)	ea	Age:
Finished Interior (All Types)	sq. ft.	Age:
Length x Width	· ———	
House Type Roofing/Siding	sq. ft.	Age:
Length x Width	· ———	
Metal Roof/Siding	sq. ft.	Age:
Length x Width		
Plumbing (Water, Drain & Fixtures)	ea.	Age:
Windows	ea.	Age:
BASEMENT		
Concrete - Single Section	sq. ft	Age:
Length x Width	54. tt	, igo
Concrete - Multi Section	sq. ft.	Age:
Length x Width	54. tu	, igo
Wood - Single Section	sq. ft	Age:
Length x Width	54. tt	, igo
Wood - Multi Section	sq. ft	Age:
Length x Width	oq	, igo
Ceiling (Drywall)	sq. ft.	Age:
Length x Width	oq	, igo:
Ceiling (Panel)	sq. ft	Age:
Length x Width	54. tt	
Finished Interior (w/electric)	sq. ft	Age:
Length x Width	oq. 1.:	, igo
Insulation (Wall/Ceiling)	sq. ft	Age:
Length x Width	oq. 10	7 tg 0.
Stairway (Interior) Finished	ea	Age:
Stairway (Exterior) Grade/Below Grade	ea	Age:
CONCRETE		, ige
Concrete Blocks	ea ft	Vae.
	sq. ft	Age:
Length x Width		A go:
Concrete Slab	sq. ft	Age:
Length x Width		

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		
	Quantity	Age*
Additive Values		
DRIVEWAY		
Asphalt Length x Width	sq. ft	Age:
Concrete Length x Width	sq. ft	Age:
Crushed Rock Length x Width	sq. ft	Age:
EARTHQUAKE RESISTANT SYSTEMS (Parts & Labor)	- All Types and Mfg.	
Single Section Multi Section Third/Tag-A-Long Section	ea ea	Age: Age:
EMERGENCY SHELTERS (Underground Fiberglass/Ste	eel) up to 6' tall	
6' x 8'6" Installation incl. Excavation, concrete base, back filling, etc.	ea ea	Age:
ENERGY		
Water Heater Insulation Blanket Window Film Coatings Length x Width	ea sq. in	Age:
FOUNDATION SYSTEMS		
Concrete - Single Section Length x Width	sq. ft	Age:
Concrete - Multi Section Length x Width	sq. ft	Age:
Wood - Single Section Length x Width	sq. ft	Age:
Wood - Multi Section Length x Width	sq. ft	Age:



Reference Number		
	Quantity	Age*
Additive Values		
GARAGE - Site Built to Local Code, with Wood or Metal Ex	kterior Sides (Includes Fou	ndation)
Doors - Auto	ea	Age:
Doors - People	ea	Age:
Electrical (110 or 220 Volts)	ea	Age:
Finished Interior (All Types) Length x Width	sq. ft	Age:
House Type Roofing/Siding Length x Width	sq. ft	Age:
Metal Roof/Siding Length x Width	sq. ft	Age:
Plumbing (Water, Drain & Fixtures)	ea.	Age:
Windows	ea	Age:
INSULATION UPGRADED PACKAGE - A (only if verified)		
Floor - Singe-wide	all	Age:
Floor - Multi-wide	all	Age:
Floor - Third/Tag-A-Long Section	all	Age:
Roof - Singe-wide	all	Age:
Roof - Multi-wide	all	Age:
Roof - Third/Tag-A-Long Section	all	Age:
Walls - Singe-wide	all	Age:
Walls - Multi-wide	all	Age:
Walls - Third/Tag-A-Long Section	all	Age:
INSULATION UPGRADED PACKAGE - B - Built from Oct. 2	25, 1994 to date (Super God	od Cents/Natural Choice Lbl
Single Section with vinyl frame windows - low "e" glass	all	Age:
Single Sect w/vinyl frame windows - low "e" glass/Argonne	all	Age:
Multi Section with vinyl frame windows - low "e" glass	all	Age:
Multi Sect w/ vinyl frame windows - low "e" glass/Argonne	all	Age:
Third/Tag-A-Long Section ("e" or Argonne)	all	Age:



Reference Number		
	Quantity	Age*
Additive Values		
INSULATION UPGRADED PACKAGE - B - Built prior to Oct.	24, 1994 (Super Good Ce	ents/Natural Choice Label)
Single Section with vinyl frame windows - low "e" glass	all	Age:
Single Sect w/vinyl frame windows - low "e" glass/Argonne	all	Age:
Multi Section with vinyl frame windows - low "e" glass	all	Age:
Multi Sect w/vinyl frame windows - low "e" glass/Argonne	all	Age:
Third/Tag-A-Long Section	all	Age:
INSULATION UPGRADED PACKAGE - C - Built between 198	85 - 1994 - Zone 1 (Energy	Qualified E.Q. Label)
Single Section with Dual Glazed Windows	all	Age:
Single Section with Storm Windows	all	Age:
Multi Section with Dual Glazed Windows	all	Age:
Multi Section with Storm Windows	all	Age:
Third/Tag-A-Long Section	all	Age:
INSULATION UPGRADED PACKAGE - C - Built between 198	35 - 1994 - Zone 2 (Energy	Qualified E.Q. Label)
Single Section with Dual Glazed Windows	all	Age:
Single Section with Storm Windows	all	Age:
Multi Section with Dual Glazed Windows	all	Age:
Multi Section with Storm Windows	all	Age:
Third/Tag-A-Long Section	all	Age:
INSULATION UPGRADED PACKAGE - D - All types, mfg., ye	ears or zones (Weather Ba	arrier Sheathing Label)
Single Section House Type Roof	all	Age:
Single Section Metal Roof	all	Age:
Multi Section House Type Roof	all	Age:
Multi Section Metal Roof	all	Age:
Third/Tag-A-Long Section (House or Metal Roof)	all	Age:



	Quantity	Age*
dition Values		
ditive Values		
IDSCAPING		
Edging (All Types)	lin. ft	Age:
Length + Length + Width + Width		
Lawns	sq. ft	Age:
Length x Width		
Rock (All Types)	sq. ft	Age:
Length x Width		
Shrubs/Hedges (Medium)	ea	Age:
Sprinkler Systems	sq. ft	Age:
Length x Width		
Trees (Medium 26" - 36" Box)	ea	Age:
TIO SLABS		
Brick	sq. ft	Age:
Length x Width		
Flagstone	sq. ft	Age:
Length x Width		
NNING GEAR (By Each Floor - Not Installed)		
Axle w/Hub (12 to 18 Widths)	ea	Age:
Brake Axle w/Hub (12 to 18 Widths)	ea	Age:
Frame - Removal may not be legal	ea	Age:
Rim w/Tire (8 to 10 Ply)	ea	Age:
Tow Bar	ea	Age:
PTIC TANK (750-1500 gal.) w/Plumbing		
Fiberglass (FRP)-dbl. Compartment	ea	Age:
Polyethylene-single compartment	ea	Age:
Concrete-Double Compartment	ea	Age:
Drain Leaching Fields (incl. Gravel Base) - Avg. 24" Base	lin. ft	Age:
Length + Length + Width + Width		



	Quantity	Age*
ditive Values		
W LOAD ROOF (Use only if upgraded over standard	HUD Roof Load Zone Fact	tory Installed)
South Zone (min 20 psf) upgraded, 20 - 30 Length x Width	sq. ft	Age:
Middle Zone (min 30 psf) upgraded, 31 - 40 Length x Width	sq. ft	Age:
North Zone (min 40 psf) upgraded, 41+ Length x Width	sq. ft	Age:
61-70 psf Upgrade Length x Width	sq. ft	Age:
71-99 psf Upgrade Length x Width	sq. ft	Age:
100+ psf Upgrade Length x Width	sq. ft	Age:
RAGE BUILDINGS/SHEDS		
Aluminum (Vertical) Length x Width	sq. ft	Age:
Masonite or Wood Length x Width	sq. ft	Age:
Shiplap Length x Width	sq. ft	Age:
Steel Length x Width	sq. ft	Age:
ISPORTATION (Current Costs Only)		
Freight Charges - per Floor (Over 300 miles)	ea. mile	Age:
Permits - check with your state highway department	ea	Age:
Pilot/Escort Cars - per Floor	ea. mile	Age:
Sea Transport (running gear attached) Wa to AK Length x Width	sq. ft	Age:
Sea Transport (running gear attached) Wa to HI Length x Width	sq. ft	Age:



Additional Features Checklist

Reference Number		
	Quantity	Age*
Additive Values		
WALKS		
Asphalt	sq. ft	Age:
Length x Width		
Concrete	sq. ft	Age:
Length x Width		
Crushed Rock	sq. ft	Age:
Length x Width		
WALLS/FENCES		
Brick 6" to 12" thick	lin. ft	Age:
Length + Length + Width + Width		
Chain Link	lin. ft	Age:
Length + Length + Width + Width		
Gates 3' to 5' wide	ea.	Age:
Masonry	lin. ft.	Age:
Length + Length + Width + Width		
Metal	lin. ft.	Age:
Length + Length + Width + Width		
Wood	lin. ft.	Age:
Length + Length + Width + Width		<u> </u>
WATER WELL WITH CASING		
Drilling to 1000' deep	ea	Age:
Casing & Sealing	ea	Age:
Pumping System/Pressure Tank	ea	Age:
WIND TIE DOWN SYSTEMS (Parts & Labor) - All Type	es and Mfg. Not Zones 2 or 3	
Single Section	ea	Age:
Multi Section	ea	Age:
Third/Tag-A-Long Section	ea	Age:
WIND ZONE 1 COSTS - 90 mph and Under (This HUD		
Included in base cost of home	all	Age:
		.3

Copyright © by National Apprisal Guides, Inc.

^{*}Age: New, 1-2 years, 3-4 years, 5+ years



Reference Number		
	Quantity	Age*
Additive Values		
WIND ZONE 2 COSTS - 91 to 100 mph (This HUD cod	de effective July 13, 1994)	
Single Section 40'-50'	all	Age:
Single Section 51'-60'	all	Age:
Single Section 61' & up	all	Age:
Single Section Anchorage Costs	all	Age:
Single Section Expando Room	all	Age:
Multi Section 40'-50'	all	Age:
Multi Section 51'-60'	all	Age:
Multi Section 61' & up	all	Age:
Multi Section Anchorage Costs	all	Age:
Third/Tag-A-Long Section	all	Age:
WIND ZONE 3 COSTS - 101 to 110 mph (This HUD co	ode effective July 13, 1994)	
Single Section 40'-50'	all	Age:
Single Section 51'-60'	all	Age:
Single Section 61' & up	all	Age:
Single Section Anchorage Costs	all	Age:
Single Section Expando Room	all	Age:
Multi Section 40'-50'	all	Age:
Multi Section 51'-60'	all	Age:
Multi Section 61' & up	all	Age:
Multi Section Anchorage Costs	all	Age:
Third/Tag-A-Long Section	all	Age: